

POOL CHEMICALS

because we sincerely believe that *ONLY THE BEST IS GOOD ENOUGH FOR YOUR POOL* we have pledged to offer you *ONLY THE BEST POOL CARE PRODUCTS*



SWIMTRINE +Plus

Effectively and economically kills algae and prevents regrowth without requiring pool closure

- Fast acting, eliminates algae within hours
- Especially effective on mustard and green algae
- Compatible with all other pool chemicals
- No waiting period – swim immediately
- Easy to apply
- Does not cloud water

For Visible Algae Growth : Apply 60 cc OF SWIMTRINE per 19 cu.m of pool water every 7 days.

Prevention of Algae : Apply 30 cc of SWIMTRINE per 19 cu.m of pool water every 10–14 days.



POOLTRINE

An algaecide water clarifier suitable for Diatomaceous Earth filters (D.E. Filter)

- Eliminates green algae as it increases water clarity
- Two jobs done at the same time
- No waiting period – swim immediately
- Long lasting action
- Non – metallic, will not clog filters
- Non – foaming, will not cloud water

For Heavy Algae Growth : Apply 300 cc Of POOLTRINE per 19 cu.m of pool water every 5 days.

For Treatment of a Freshly Clean and Filled Pool : Apply 150 cc of POOLTRINE per 19 cu.m of pool water every 7 days.



CLEARTRINE

An algaecide water clarifier suitable for Sand Filters.

- Highly concentrated polymer treats up to 160,000 gallons of water
- Coagulates dirt, oil and other organic causes of cloudiness
- Improve filter efficiency
- Fast – acting
- Biodegradable – easy and safe to use
- No waiting period – swim immediately

For Very Cloudy Water : Apply 60 cc Of CLEARTRINE per 19 cu.m of pool water every 24 hours until clear.

For Maintenance : Apply 30 cc Of CLEARTRINE per 19 cu.m of pool water every 2 weeks.

(A Mixture of 1:9 with water can be applied directly into swimming pool while running the filtration system)

The products featured in the brochure are internationally recognised as the best. You can be assured they will help you achieve and maintain the best swimming waters.



SANITRINE

Acts as Cleaner, Disinfectant, Deodorant and Fungicide

- Removes dirt, grime, grease and oils, as it prevents odour and kills germs.
- Ideal for use on pool walls and decks
- Effective against the pathogenic fungus

Simply mix 60 cc Of SANITRINE per 1 litre of water and wipe or scrub surface with damp cloth or mop.



STAINTRINE

Stain & scale preventer and remover

- Prevents staining and scaling of pool surfaces and components by chelating minerals such as iron, calcium and manganese.
- Cost – effective & easy removal of fresh stains.
- Protects pumps filters and pool heater exchange elements.

New Pool Filling : Apply 225 cc Of STAINTRINE per 19 cu.m of pool water. Adjust free chlorine to 1.5 ppm and pH 7.2-7.6

For Maintenance : Apply 45-75 cc Of STAINTRINE per 19 cu.m of pool water.



BLACK ALGAETRINE

The best available product for controlling black algae's innate resistance to chemicals.

- Insures total killing action quickly
- No waiting period for pool's use
- Excellent for cleaning algae off pool sides
- No clouding and easy to apply

Once black algae is controlled, regrowth can be effectively prevented with regular use of SWIMTRINE

With Visible Algae Growth : Apply 180 cc Of BLACK ALGAETRINE per 19 cu.m of pool water every 5 days. Settled algae debris may be removed by vacuuming.

PREMIUM ALGICIDES

น้ำยาเคมีคุณภาพสูง ชนิดเข้มข้น สำหรับสระว่ายน้ำ

ขนาดบรรจุ: แกลลอน (3.8 ลิตร)

SWIMTRINE

น้ำยากำจัดตะไคร่น้ำเขียว (น้ำยาสีน้ำเงินเข้ม) ปริมาณการใช้ 2 ออนซ์ ต่อน้ำ 5000 แกลลอน
เป็นเคมีภัณฑ์สำหรับกำจัดตะไคร่น้ำเขียว สำหรับสระว่ายน้ำ

วิธีการใช้ในครั้งแรก : สวิมทริน 2 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 7 วัน

(หรือประมาณ 32 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 7 วัน)

วิธีการใช้เพื่อป้องกัน : สวิมทริน 1 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 10-14 วัน

(หรือประมาณ 15 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 10-14 วัน)

(1ออนซ์ = ประมาณ 28.35 กรัม, 1 แกลลอน = 3.8 ลิตร)

POOLTRINE

น้ำยาแก้ปัญหาน้ำขุ่น/น้ำเขียว (น้ำยาสีเหลือง)

คุณสมบัติ: เป็นเคมีภัณฑ์สำหรับกำจัดตะไคร่น้ำ และแก้ไขน้ำขุ่น สำหรับสระว่ายน้ำ

วิธีการใช้ในครั้งแรก : พูลทริน 10 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 5 วัน

(หรือประมาณ 150 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 5 วัน)

วิธีการใช้เพื่อป้องกัน : พูลทริน 5 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 7 วัน

(หรือประมาณ 75 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 7 วัน)

(1ออนซ์ = ประมาณ 28.35 กรัม, 1 แกลลอน = 3.8 ลิตร)

CLEARTRINE

น้ำยาช่วยให้น้ำใสเร็ว แก้ไขปัญหาน้ำขุ่นสำหรับสระว่ายน้ำ, สระสปา

คุณสมบัติ: เป็นสารโพลีเมอร์เข้มข้น ซึ่งจะจับตัวรวมตะกอนสิ่งสกปรกและสารอินทรีย์เพื่อให้การกรองมีประสิทธิภาพ ดีขึ้น ทำให้น้ำใส เป็นประกายและสามารถลงว่ายน้ำได้ทันทีหลังการใช้

วิธีการใช้: ผสม CLEARTRINE ให้เจือจางก่อนเติมลงสระ พร้อมเปิดระบบกรองน้ำ

ปริมาณการใช้ในช่วงแรก :

ถ้าน้ำขุ่นมาก ใช้ CLEARTRINE 2 ออนซ์ ต่อน้ำในสระ 5000 แกลลอน ทุก 24 ชม. จนกว่าน้ำจะใส

(หรือใช้ ประมาณ 30 ซีซี ต่อน้ำในสระ 10 ลูกบาศก์เมตร ทุก 24 ชม. จนกว่าน้ำจะใส)

ปริมาณการใช้เพื่อรักษาสภาพน้ำ:

ให้ใช้ 1 ออนซ์ ต่อน้ำในสระ 5000 แกลลอน ทุกสัปดาห์

(หรือใช้ ประมาณ 15 ซีซี ต่อน้ำในสระ 10 ลูกบาศก์เมตร ทุกสัปดาห์)

ข้อควรระวัง: เก็บรักษาให้พ้นมือเด็ก และหลีกเลี่ยงการสัมผัสโดยตรง ถ้าบังเอิญสัมผัสโดยตรง ให้ล้างออกด้วยน้ำจำนวนมาก

BLACK ALGAETRIN

น้ำยาเพื่อควบคุมและกำจัดตะไคร่น้ำดำ และตะไคร่น้ำอื่นๆ ในสระว่ายน้ำ

ปริมาณการใช้เพื่อกำจัดตะไคร่น้ำ : ใช้น้ำยา 6 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 5 วัน

(หรือประมาณ 90 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 5 วัน)

ปริมาณการใช้เพื่อป้องกันตะไคร่น้ำ : ใช้น้ำยา 3 ออนซ์ ต่อน้ำ 5000 แกลลอน ทุกๆ 7 วัน

(หรือประมาณ 45 ซีซี ต่อน้ำ 10 ลูกบาศก์เมตร ทุกๆ 7 วัน)

(1ออนซ์ = ประมาณ 28.35 กรัม, 1 แกลลอน = 3.8 ลิตร)

วิธีการใช้เคมี : ให้เจือจางด้วยน้ำ โดยใช้ น้ำยาเคมี 1 ส่วน ต่อน้ำ 9 ส่วน ก่อนเติมลงในสระว่ายน้ำ

STAINTRINE

เคมีภัณฑ์สำหรับสระว่ายน้ำเพื่อป้องกันแก้ไขปัญหาคาบสนิมและตะกรัน, ป้องกันและแก้ปัญหาฝ้าเขียว สำหรับสระว่ายน้ำที่ใช้น้ำบาดาล

วิธีการใช้: เจือจาง Staintrine (สเตรนทรีน) ด้วยน้ำในอัตราส่วน 1:9 ในถังพลาสติก คนให้ทั่ว แล้วเทลงในน้ำรอบสระ เดินระบบปั๊ม เพื่อให้ผสมกับน้ำในสระ

ปริมาณการใช้ : ผสม Staintrine (สเตรนทรีน) 7.5 ออนซ์ ต่อน้ำ 5000 แกลลอน

(หรือ ประมาณ 114 ซีซี ต่อน้ำในสระ 10 ลูกบาศก์เมตร)

(1ออนซ์ = ประมาณ 28.35 กรัม, 1 แกลลอน = 3.8 ลิตร)

SANITRINE

น้ำยาเช็ดคราบน้ำมันขอบสระ

คุณสมบัติ: ใช้กำจัดคราบสกปรก คราบไขมัน ป้องกันกลิ่นเหม็นอับ ฆ่าเชื้อรา และฆ่าเชื้อโรค บริเวณผนังสระว่ายน้ำ

วิธีการใช้: ใช้ชามิทริน 2 ออนซ์ (30 ซีซี) ผสมในน้ำ 1 แกลลอน เช็ดถูด้วยผ้าหรือฟองน้ำ

HI-CLEAN

น้ำยาล้างพื้น/ล้างแผ่นกรอง